**PAGE:** 1 of 3

**PRINT DATE:** 29/07/2002

### SAFETY DATA SHEET

**REF:** M17

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name: Repairtec - Base

**Supplier:** MMP-International, Division

of ITW Ltd.

Brunel Close, Park Farm

Ind Est.

Wellingborough, Northants,

NN8 6QX

**Emergency telephone number:** +44 (0) 1933 670870 **Fax No:** +44 (0) 1933 670800

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation

 Chemical Name
 CAS-No
 EEC-No
 Class
 Weight %

 SILICA SAND
 14808-60-7
 70-90

 EPOXY RESIN
 40216-08-8
 Xi; R36/38
 5-10

#### 3. HAZARDS IDENTIFICATION

**Most important hazards:** Irritating to eyes and skin.

**Specific hazards** May cause sensitization by skin contact.

#### 4. FIRST AID MEASURES

**General advice:** Avoid contact with skin and eyes.

**Inhalation:** Consult a physician after significant exposure.

**Skin contact:** Wash off immediately with soap and plenty of water.

**Eye contact:** Consult a physician. Show this safety data sheet to the doctor in attendance. **Ingestion:** Call a physician immediately. If a person vomits when lying on his back, turn

over on his side.

# 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** dry powder, foam, Carbon Dioxide (CO <sub>2</sub>), Water spray.

**Specific hazards:** Burning produces irritant fumes

Special protective equipment for firefighters: In case of fire, wear a self contained breathing

apparatus, protective suit.

**Specific methods:** Standard procedure for chemical fires.

### **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Avoid contact with the skin and the eyes.

**Environmental precautions:** Do not let product enter drains. Avoid subsoil penetration.

Methods for cleaning up: Soak up with inert absorbent material, Transfer to covered steel

drums.

#### 7. HANDLING AND STORAGE

**Handling:** Use only in well-ventilated areas. Keep away from heat and sources of ignition.

General industrial hygiene practice.

**Storage:** Keep containers tightly closed in a cool, well-ventilated place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name: National occupational exposure limits (Ref: British COSHH -

EH40):

**PAGE:** 2 of 3

Product name: Repairtec - Base PRINT DATE: 29/07/2002

**REF:** M17

**EPOXY RESIN** 

Engineering measures to

reduce exposure

- **Respiratory protection:** No personal respiratory protective equipment normally required.

Hand protection: rubber or plastic gloves.Eye protection: safety glasses, goggles.

Skin and body protection: lightweight protective clothing.

**Hygiene measures:** Keep away from food, drink and animal feeding stuffs. Do not

smoke. General industrial hygiene practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: granular Colour: sand Colour Odour: slight

solid.

g/I H2O)

**Boiling point/range:**None °C **Flash point:**>200 °C

Vapour pressure: <0.001 Pa mm Hg ( 20 °C)

**Relative density:** - lower 2g/cm3

10. STABILITY AND REACTIVITY

**Materials to avoid:** strong acids and strong bases, and strong oxidizing agents.

**Hazardous decomposition products:** Carbon monoxide, Carbon Dioxide (CO

11. TOXICOLOGICAL INFORMATION

**Acute toxicity:** Components of the product may be absorbed into the body by inhalation,

ingestion and through the skin.

**Local effects:** Moderate skin irritation.

**Long term toxicity:** LD50/oral/rat = >5000 mg/kg

12. ECOLOGICAL INFORMATION

**Mobility:** Do not let product enter drains.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Solidify unexposed surplus and dispose of together

with processed material as cured plastic waste - In accordance with local and national regulations

**Contaminated packaging:** In accordance with local and national regulations.

**European waste Catalogue No:** 08 04 99

14. TRANSPORT INFORMATION

**Proper shipping name:** Not classified as dangerous in the meaning of transport

regulations: UN, ADR/RID, IMO & IATA/ICAO.

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 93/21/EEC

- Contains: SILICA SAND, EPOXY RESIN.

Symbol(s):



Xi - Irritant

R -phrase(s): R36/38 - Irritating to eyes and skin. R43 - May cause sensitization by skin contact.

Product name: Repairtec - Base

PAGE: 3 of 3
PRINT DATE: 29/07/2002

**REF:** M17

**S -phrase(s):** S28 - After contact with skin, wash immediately with plenty of soapy water. S37/39 -

Wear suitable gloves and eye/face protection.

# 16. OTHER INFORMATION

# Recommended use:

### **Recommended restrictions:**

When used in a mixture, read the labels and safety data sheets of all components.

**Revision date:** 12/07/2002

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication