PAGE: 1 of 3

PRINT DATE: 31/07/2002 SAFETY DATA SHEET

REF: M21

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Rustec 800 Product name:

MMP-International, Division Supplier:

of ITW Ltd.

Brunel Close, Park Farm

Ind Est,

Wellingborough, Northants,

NN8 6QX

Emergency telephone number: +44 (0) 1933 670870 Fax No: +44 (0) 1933 670800

2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation

Chemical Name CAS-No. EEC-No Class Weight

%

C9 AROMATIC SOLVENT 64742-9540-50

3. HAZARDS IDENTIFICATION

Most important hazards: Flammable

Specific hazards Harmful by inhalation, in contact with skin and if swallowed

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance Inhalation: Move to fresh air. Consult a physician if necessary

Skin contact: Wash off immediately with soap and plenty of water.

Eye contact: Rinse immediately with plenty of water and seek medical advice

Ingestion: Do not induce vomiting .Obtain medical attention

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: carbon dioxide (CO2), sand, dry chemical foam.

Extinguishing media which must not be used for safety reasons:

Do not use a solid water stream as it may scatter and spread fire

Specific hazards: In the event of fire and/or explosion do not breathe fumes.

Special protective equipment for firefighters: In the event of fire, wear self contained

breathing apparatus, protective suit.

Specific methods: Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Do not breath vapours or spray mist Environmental precautions: Do not let product enter drains

Methods for cleaning up: Soak up with inert absorbent material. Transfer to covered steel

drums

7. HANDLING AND STORAGE

Handling: Use only in well-ventilated areas. Keep away from heat and sources of ignition.

Open drum carefully as content may be under pressure

Storage: Keep containers tightly closed in a cool, well-ventilated place

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name: National occupational exposure limits

(British COSHH - EH40):

PAGE: 2 of 3

Product name: Rustec 800 PRINT DATE: 31/07/2002

REF: M21

C9 AROMATIC SOLVENT no data available

Engineering measures Ensure adequate ventilation, especially in confined areas..

- Respiratory protection: In case of mist, spray or aerosol exposure wear suitable personal

respiratory protection and protective suit.

Hand protection: solvent-resistant gloves (butylrubber).

Eye protection: face-shield.Skin and body protection: protective suit.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. Do not

smoke. General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: liquid / Colour: Odour: aromatic

Aluminium pigment

g/I H2O)

Boiling point/range: 160-180 °C Flash point: 43 °C Autoignition temperature: 450 °C

Vapour pressure: 0.29kPa mm Hg (20 °C)

Relative density: - lower 1.05

10. STABILITY AND REACTIVITY

Conditions to avoid: strong oxidizing agents, water in containers.

Hazardous decomposition products: Carbon monoxide, carbon dioxide (CO2), H2

11. TOXICOLOGICAL INFORMATION

Acute toxicity: LD50/Oral: <2000 mg/kg Local effects: Moderate skin irritation

12. ECOLOGICAL INFORMATION

Mobility: Do not let product enter drains

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: In accordance with local and national regulations.

Solidify unexposed surplus and dispose of together with processed material as cured plastic waste

Contaminated packaging: In accordance with local and national regulations

European waste Catalogue No: 08 04 99

14. TRANSPORT INFORMATION

Proper shipping name: Paint related material.

UN-No: 1263

ADR/RID Class: 3

HI/UN No: 1263

IMO Class: 3 Packing group: III

Proper shipping name: Paint related material.

ICAO Class: 3 UN/ID No: 1263

Proper shipping name Paint related material.

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 93/21/EEC

- Contains: C9 AROMATIC SOLVENT

Product name: PAGE: 3 of 3

Product name: PAGE: 3 of 3

PRINT DATE: 31/07/2002

REF: M21

- Symbol(s):



Flammable Xn

R-phrase(s): R10 - Flammable. R36/37/38 - Irritating to eyes, respiratory system and skin.. S-phrase(s): S16 - Keep away from sources of ignition - No smoking.. S23 - Do not breathe ...

vapour. S24 - Avoid contact with skin.. S26 - In case of contact with eyes, rinse

immediately with plenty of water and seek medical advice..

16. OTHER INFORMATION

Recommended use: When used in a mixture, read the labels and safety data sheets of all

components. All metal parts of the mixing and processing equipment

must be earthed.

Recommended restrictions:

Revision date: 12/07/2002

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication