PAGE: 1 of 3

PRINT DATE: 31/07/2002

SAFETY DATA SHEET

REF: M19

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name: Rustec - Base

Supplier: MMP-International, Division

of ITW Ltd.

Brunel Close, Park Farm

Ind Est,

Wellingborough, Northants,

NN8 6QX

Emergency telephone number: +44 (0) 1933 670870 **Fax No:** +44 (0) 1933 670800

2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation

Chemical Name	CAS-No	EEC-No	Class	Weight %
C9 AROMATIC HYDROCARBON	69742-95- 6		Xi; R10	10-25
BUTANOL	71-36-3	603-004- 00-6	R10 Xn; R20	5-10

3. HAZARDS IDENTIFICATION

Most important hazards: Flammable

Specific hazards Irritating to eyes and skin.

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance.

Inhalation: Move to fresh air. Consult a physician if necessary.

Skin contact: Wash off immediately with soap and plenty of water .

Eye contact: Rinse immediately with plenty of water and seek medical advice.

Ingestion: Do not induce vomiting .Obtain medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: carbon dioxide (CO2), foam, dry chemical foam.

Extinguishing media which must not be used for safety reasons:

high volume water jet.

Specific hazards: In the event of fire and/or explosion do not breathe fumes.

Special protective equipment for firefighters: In the event of fire, wear self contained

breathing apparatus, protective suit.

Specific methods: Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:Do not breath vapours or spray mist **Environmental precautions:**Do not let product enter drains

Methods for cleaning up: Soak up with inert absorbent material. Transfer to covered steel

drums

7. HANDLING AND STORAGE

Handling: Use only in well-ventilated areas. Keep away from heat and sources of ignition.

Open drum carefully as content may be under pressure

Storage: Keep containers tightly closed in a cool, well-ventilated place

PAGE: 2 of 3

Product name: Rustec - Base PRINT DATE: 31/07/2002

REF: M19

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name: National occupational exposure limits

(British COSHH - EH40):

C9 AROMATIC HYDROCARBON no data available
BUTANOL no data available

Engineering measures Ensure adequate ventilation, especially in confined areas..

- Respiratory protection: In case of mist, spray or aerosol exposure wear suitable personal

respiratory protection and protective suit.

- **Hand protection:** solvent-resistant gloves (butylrubber).

Eye protection: face-shield.Skin and body protection: protective suit.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. Do not

smoke. General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: liquid Colour: silver Odour: hydrocarbon-like

Boiling point/range: >150 °C **Flash point:** 43 °C **Autoignition temperature:** >350 °C

Relative density: - lower 2g per cm3

10. STABILITY AND REACTIVITY

Conditions to avoid: Keep away from heat and sources of ignition.

Materials to avoid: strong bases, strong oxidizing agents.

Hazardous decomposition products: Carbon monoxide, carbon dioxide (CO2), acrid fumes.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: LD50/oral/rat = >5g/kg
Local effects: Moderate skin irritation

12. ECOLOGICAL INFORMATION

Mobility: Do not let product enter drains

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: In accordance with local and national regulations.

Solidify unexposed surplus and dispose of together with processed material as cured plastic waste

Contaminated packaging: In accordance with local and national regulations

European waste Catalogue No: 08 04 99

14. TRANSPORT INFORMATION

Proper shipping name: Paint related material

UN-No: 1263

ADR/RID Class: 3

IMO Class: 3 Packing group: III

Proper shipping name: Paint related material

ICAO Class: 3

Proper shipping name Paint related material

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 93/21/EEC

Product name: Rustec - Base

PAGE: 3 of 3 **PRINT DATE:** 31/07/2002

REF: M19

- Contains: C9 AROMATIC SOLVENT

- Symbol(s):



Flammable X

R-phrase(s): R10 - Flammable. R36/38 - Irritating to eyes and skin...

S-phrase(s): S16 - Keep away from sources of ignition - No smoking.. S24/25 - Avoid contact

with skin and eyes. S29 - Do not empty into drains.. S33 - Take precautionary

measures against static discharges.. S37 - Wear suitable gloves.

16. OTHER INFORMATION

Recommended use:

Recommended restrictions:

When used in a mixture, read the labels and safety data sheets of all components

Revision date: 12/07/2002

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication