

## SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name: **Weartec-Base**  
 Supplier: MMP-International, Division  
 of ITW Ltd.  
 Brunel Close, Park Farm  
 Ind Est,  
 Wellingborough, Northants,  
 NN8 6QX

Emergency telephone number: +44 (0) 1933 670870  
 Fax No: +44 (0) 1933 670800

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

## Identification of the preparation

Chemical Name	CAS-No	EEC-No	Class	Weight %
Bisphenol A/F Epoxy Resin	40216-08-8		Xi; R36/38, R43	30-60
Hexanediol Diglycidyl Ether	16096-31-4		Xi; R36/38, R43	30-60

## 3. HAZARDS IDENTIFICATION

Most important hazards: Irritating to eyes and skin.  
 Specific hazards May cause sensitisation by skin contact.

## 4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance. Avoid contact with skin and eyes.  
 Inhalation: Move to fresh air. Consult a physician after significant exposure.  
 Skin contact: Remove immediately adhering matter, Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.  
 Eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 Ingestion: Rinse mouth, Do not induce vomiting, Call a physician immediately. If a person vomits when lying on their back, place them in the recovery position.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: dry powder, foam, carbon dioxide (CO<sub>2</sub>)  
 Extinguishing media which must not be used for safety reasons:  
 high volume water jet.  
 Specific hazards: Burning produces irritant fumes.  
 Special protective equipment for firefighters: In the event of fire, wear self contained breathing apparatus, protective suit  
 Specific methods: Standard procedure for chemical fires

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with the skin and the eyes. Use personal protective equipment. Ensure adequate ventilation.  
 Environmental precautions: Do not contaminate water. Avoid subsoil penetration.  
 Methods for cleaning up: Dam up, Scrape-up, Soak up with inert absorbent material, Transfer to covered steel drums.



14. TRANSPORT INFORMATION

Proper shipping name: Not classified as dangerous in the meaning of transport regulations: UN, ADR/RID, IMO & IATA/ICAO.

---

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 93/21/EEC

- Contains: BISPHENOL A/F EPOXY RESIN

- Symbol(s):



Xi

R-phrase(s): R43 - May cause sensitization by skin contact. R36 - Irritating to eyes. R38 - Irritating to skin.

S-phrase(s): S28 - After contact with skin, wash immediately with plenty of water. S37/39 - Wear suitable gloves and eye/face protection.

---

16. OTHER INFORMATION

Recommended use: Adhesives.

Recommended restrictions:

When used in a mixture, read the labels and safety data sheets of all components.

Revision date: 15/07/2002

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication