PAGE: 1 of 3

PRINT DATE: 02/08/2002

E; R2 O; R7 Xi; R36

40-50

SAFETY DATA SHEET

REF: R28

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name: Repairwhite Activator

Supplier: MMP-International, Division

of ITW Ltd.

Brunel Close, Park Farm

Ind Est,

Wellingborough, Northants,

NN8 6QX

Emergency telephone number: +44 (0) 1933 670870 Fax No: +44 (0) 1933 670800

2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation

Chemical Name CAS-No **EEC-No** Class Weight % DIBENZOYL PEROXIDE

94-36-0

00-0 R43

617-008-

3. HAZARDS IDENTIFICATION

Most important hazards: Irritating to eyes.

Specific hazards May cause sensitization by skin contact

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance.

Inhalation: Move to fresh air and rest. Consult a physician after significant exposure. Skin contact: Remove immediately adhering matter, Wash off immediately with plenty of

Eye contact: Rinse thoroughly with plenty of water, also under the eyelids, If eye irritation

persists, consult a specialist.

Ingestion: Do not induce vomiting. Call a physician immediately.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water spray, dry powder, Carbon Dioxide (CO a) and foam.

Extinguishing media which must not be used for safety reasons:

halons

Specific hazards: In case of fire and/or explosion do not breathe fumes.

Special protective equipment for firefighters: In case of fire, wear a self contained breathing

apparatus, and protective suit.

Specific methods: Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. **Environmental precautions:** Do not let product enter drains.

Methods for cleaning up: Scrape up, Shovel into suitable container for disposal.

7. HANDLING AND STORAGE

Handling: Keep away from heat and sources of ignition,

Storage: Keep in a dry, cool place, store separtely from reducing agents eg, amines, acids

and bases and heavy metal compounds.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name: National occupational exposure limits (Ref: British COSHH -

EH40):

PAGE: 2 of 3

Product name: Repairwhite Activator

PRINT DATE: 02/08/2002

REF: R28

DIBENZOYL PEROXIDE 5 mgm -3

Engineering measures to reduce exposure

- **Respiratory protection:** No personal respiratory protective equipment normally required.

- **Hand protection:** PVC or other plastic material gloves.

Eye protection: safety glasses.

- Skin and body protection:

Hygiene measures: Wash hands before breaks and immediately after handling the

product

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: smooth Colour: white Odour: slight

paste

pH: g/l H2O) slightly

acidic

Boiling point/range: do not °C

distil

Flash point: > 50 °C

Relative density: - lower 1140 (20 °C)

- upper 1170

10. STABILITY AND REACTIVITY

Stability: To avoid thermal decomposition, do not overheat. **Materials to avoid:** acids, bases, heavy metals and reducing agents.

Hazardous decomposition products: Carbon Dioxide (CO 3), benzoic acid, Benzene,

11. TOXICOLOGICAL INFORMATION

Acute toxicity: LD50/oral/rat = >5000 mg/kg

LD50/oral/rat = >24.3 mg 14 hrs exposure time max.

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: In accordance with local and national regulations.

Contaminated packaging: Contaminated packaging, Empty containers should be taken

to local recyclers for disposal.

European waste Catalogue No:

14. TRANSPORT INFORMATION

Proper shipping name: Polyester Resin Kit

UN-No: 3269

ADR/RID Class: 3

HI/UN No: 3269

IMO Class: 3269 Packing group: III

Proper shipping name: Polyester Resin Kit

ICAO Class: 3 UN/ID No: 3269

Proper shipping name Polyester Resin Kit

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 93/21/EEC

Contains: DIBENZOYL PEROXIDE

Product name: Repairwhite Activator

PAGE: 3 of 3

PRINT DATE: 02/08/2002

REF: R28

- Symbol(s):





Oxidising

Xi - Irritant

R -phrase(s): R 7 - May cause fire. R36 - Irritating to eyes. R43 - May cause sensitization by skin

contact.

S -phrase(s): S 3/7/9 - Keep container tightly closed in a cool, well-ventilated place. S14 - Keep

away from reducing agents - amines, acids and bases and heavy metal compounds. S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 - After contact with skin, wash immediately with plenty of

soapy water.

16. OTHER INFORMATION

Recommended use:

Recommended restrictions:

When used in a mixture, read the labels and safety data sheets of all components.

Revision date: 01/08/2002

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication