PAGE: 1 of 3

PRINT DATE: 02/08/2002

SAFETY DATA SHEET

REF: R33

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name: Repairite Sealrite Activator

Supplier: MMP-International, Division

of ITW Ltd.

Brunel Close, Park Farm

Ind Est,

Wellingborough, Northants,

NN8 6QX

Emergency telephone number: +44 (0) 1933 670870 **Fax No:** +44 (0) 1933 670800

2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation Formulated product.

Chemical Name	CAS-No	EEC-No	Class	Weight %
2,4,6-	90-72-2.	603-069-	Xn; R22 Xi; R36/38.	1-10
TRIS(DIMETHYLAMINOMETHYL)PHENOL.		00-0.		
POLYETHYLENEAMINES		612-065-	Xn; R21/22 C; R34	1-10
		00-8	R43	

3. HAZARDS IDENTIFICATION

Most important hazards: Xi - Irritant.

Specific hazards Irritating to eyes and skin.

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance.

Inhalation: Move to fresh air.Consult a physician after significant exposure.

Skin contact: Remove immediately adhering matter, Wash off immediately with soap and

plenty of water. If skin irritation persists, call a physician.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a

ohysician.

Ingestion: Do not induce vomiting. Drink plenty of water, Obtain medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water spray, dry chemical, foam, Carbon Dioxide (CO

₂).

Extinguishing media which must not be used for safety reasons:

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards: In case of fire and/or explosion do not breathe fumes.

Special protective equipment for firefighters: Cool containers / tanks with water spray. In

case of fire, wear a self contained breathing

apparatus.

Specific methods: Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with the skin and the eyes. Use personal protective

equipment

Environmental precautions: Do not let product enter drains

Methods for cleaning up: Dam up, Scrape up, Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Handling: Use only in well-ventilated areas. Avoid contact with skin and eyes.

Storage: Store at room temperature in the original container. Keep container tightly closed.

PAGE: 2 of 3

Product name: **Repairite Sealrite Activator** **PRINT DATE: 02/08/2002**

REF: R33

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name: National occupational exposure limits (Ref: British COSHH -

EH40):

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL. no data available. **POLYETHYLENEAMINES** no data available

Engineering measures to reduce exposure

Respiratory protection: In case of insufficient ventilation wear suitable respiratory

equipment

Hand protection: protective gloves

Eye protection: safety glasses with side-shields, goggles.

Skin and body protection: lightweight protective clothing, Wear as appropriate.

Hygiene measures: When using do not eat or drink. Wash hands before breaks and

immediately after handling the product

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	paste.	Colour:	off-white.	Odour:	amine-like.
pH:	(50 g/l H20)	9.5	(20 °C)		
Boiling po	int/range:	>260	°C		
Flash poin	t:	>149	°C		
Melting po	oint/range:	n/d	°C		
Autoignitio	on temperature:	>100	°C		
Vapour pro	essure:	<1	mm Hg (20 °C)	
Relative d	ensity:	- lower	1.60g/cm3 (20	°C)	
Water solu	ubility	insoluble	(25 °C)		
Viscosity:		(25 °C)	1,300,000		

10. STABILITY AND REACTIVITY

Stability: Stable.

Materials to avoid: oxidizing agents, Nitrous acid and other nitrosating agents.

Hazardous decomposition products: carbon oxides, Ammonia, nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Acute toxicity: LD50/oral/rat = 1653 mg/kg (DMP)

> LD50/dermal/rabbit = 1350 mg/kg (DMP) LC50/inhalation/8h/rat = >0.5 mg/L (DMP)

Sensitization: May cause sensitization by inhalation and skin contact.

Long term toxicity: Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons.

12. ECOLOGICAL INFORMATION

Mobility: Do not let product enter drains.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Solidify unexposed surplus and dispose of together

with processed material as cured plastic

waste. According to (national equivalent of EC-Dir. 78/319; disposal of toxic and hazardous waste)

Contaminated packaging: In accordance with local and national regulations

European waste Catalogue No: 08 04 99 Product name: Repairite Sealrite Activator

PAGE: 3 of 3

PRINT DATE: 02/08/2002

REF: R33

14. TRANSPORT INFORMATION

Proper shipping name: Not classified as dangerous in the meaning of transport

regulations: UN, ADR/RID, IMO & IATA/ICAO.

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 93/21/EEC

- **Contains:** 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

water contaminating - 2

- Symbol(s):



Xi - Irritan

R -phrase(s): R43 - May cause sensitization by skin contact.. R36/38 - Irritating to eyes and skin.

S -phrase(s): S26 - In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice. S28 - After contact with skin, wash immediately with plenty of water S45 - In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible). S 1/2 - Keep locked-up and out of reach of children. S37/39 - Wear suitable gloves and eye/face protection.

16. OTHER INFORMATION

Recommended use: Adhesives.

Recommended restrictions:

When used in a mixture, read the labels and safety data sheets of all components.

Revision date: 01/08/2002.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication