PAGE: 1 of 3 PRINT DATE: 31/07/2002

SAFETY DATA SHEET

1. IDENTIFICATION O	· THE SUB				WPANY/UNDERIAK	ING			
Product name:	Dye Pen	Dye Penetrant							
Supplier:		MMP-International, Division of ITW Ltd.							
		Brunel Close, Pa	ark Farm						
			Ind Est, Wellingborough, Northants,						
		NN8 6QX							
Emergency telepho	ne numbei	+44 (0) 1933 6	70870						
Fax No:		+44 (0) 1933 6							
2. COMPOSITION/INF	ORMATION	ON INGREDIENTS	5						
Identification of the	e preparati	on							
Chemical Name		CA	S-No	EEC-No	Class	Weight 9			
DICHLOROMETHANE		75-	09-2	602-004- 00-3	Carc. Cat.3; R40	30-60			
ODOURLESS KEROSENE		647	42-47-			10-30			
		8							
3. HAZARDS IDENTIFI	CATION								
Most important haz	ards: P	ossible risks of irreversi	ble effect	ts.					
4. FIRST AID MEASUR	ES								
Inhalation:	Move to free	h air, Consult a physici	an after s	significant expo	sure.				
Skin contact:	Remove immediately adhering matter. Wash off immediately with soap and plenty of water, If skin irritation persists, call a physician.								
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.								
Ingestion:	Call a physi	cian immediately, Do no	ot induce	vomiting.					
5. FIRE-FIGHTING ME	ASURES								
Suitable extinguishi	ng media:	alcohol-resistant fo spray.	am, Carl	oon Dioxide (CC) ₂), dry powder	, Water			
Specific hazards:	In case of f	re and/or explosion do	not brea	the fumes.					
Special protective e	ve equipment for firefighters: In case of fire, wear a self contained breathing apparatus, protective suit.				ling				
6. ACCIDENTAL RELEA	ASE MEAS	URES							
Personal precaution	ns:	Do not breath vapour	s or spra	ay mist.					
Environmental prec	autions:	Do not let product enter drains.							
Methods for cleaning	ng up:		up with inert absorbent material (e.g. sand, silica gel, acid r, universal binder, sawdust). Transfer to covered steel drums.						
7. HANDLING AND ST	ORAGE								
Handling:	Use only in well-ventilated areas. Keep away from heat and sources of ignition.								
•	-	rs tightly closed in a cool, well-ventilated place. Keep away from tion - No smoking.							
8. EXPOSURE CONTR	ols / Per	SONAL PROTECTION	ON						
B. EXPOSURE CONTR Chemical Name:	Na	SONAL PROTECTIOn tional occupation (40):		sure limits	(Ref: British (OSHH -			

Dye Penetrant

ODOURLESS KEROSENE								
Engineering measure reduce exposure	es to	Ensure adequate ventilation, especially in confined areas						
- Respiratory prote	ction:	Breathing a	pparatus with filte	er.				
- Hand protection:		gloves 9 (A	dvice should be so	ought on the type of gloves	s) .			
- Eye protection:		safety glass	ses.					
- Skin and body pro	otection:	protective s	suit.					
Hygiene measures:								
9. PHYSICAL AND CHEM	MICAL PROPE	RTIES						
Form: liquid - aerosol.		Colour:	red.	Odour:	chlorinated.			
	120)	NI / A						
•	H2O)	N/A	*0					
Boiling point/range:		39	°C					
Flash point:		N/A	°C					
Melting point/range:	t ure.	<0	°C					
Autoignition tempera		>400	°C					
Flammability (solid, g		LEL 0.8 (% 25°C), UEL	vol in air at 66.4					
Explosive properties:		None						
Oxidizing properties:		None						
Vapour pressure:		2.41 Bar						
Water solubility		insoluble						
10. STABILITY AND REA	ΑCTIVITY							
Stability:	Stable							
Conditions to avoid:	Keep away	from heat	and sources of igr	nition.				
Materials to avoid:	oxidizing a	igents, stroi	ng acids, strong b	ases.				
Hazardous decompos	sition product		Carbon monoxide, NOx).	Carbon Dioxide (CO	₂), nitrogen oxides			
11. TOXICOLOGICAL IN	FORMATION							
Acute toxicity:	Components o	f the produc	ct may be absorbe	ed into the body by inhala	tion,			
-	ingestion and t	gestion and through the skin.						
	Aliphatic Hydro	ocarbon Sol	vent Blend: LD50,	/oral/rat = <5g/kg				
Local effects:	May be harmful by inhalation, ingestion, skin adsorption. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.							
Sensitization:	-	-			inting.			
Long term toxicity:	May cause skin irritation and/or dermatitis. Repeated or prolonged exposure may cause skin irritation and dermatitis,							
	due to degreas	ing propert	ies of the product		uus,			
Repeated or prolong	jed exposure:	-	er of serious dama e renal / Central n	age to health by prolonged ervous system.	1 exposure,			
12. ECOLOGICAL INFO	RMATION							
Mobility:		Do not allo	w material to cont	aminate ground water sys	tem.			
Persistence / degrad	lability:	Aquatic tox	icity is unlikely du	e to low solubility.				
13. DISPOSAL CONSIDE	ERATIONS							
		ducts:						
13. DISPOSAL CONSIDE	/ unused pro	Empt	y containers can b liance with local r	be landfilled after cleaning	, when in			

Product name:	Dye Pen	etrant		PAGE: 3 of 3 PRINT DATE: 31/07/2002 REF: T8		
European waste	e Catalogue No:	08 04 99				
14. TRANSPORT	INFORMATION					
Proper st	nipping name:	Aerosol				
ι	JN-No:	1950				
ADR/RID Class	:	2				
			HI/UN No:	1950		
IMO Class	:	2				
Proper shipping na	ame:	Aerosol				
ICAO Class	:	2	UN/ID No:	1950		
Proper st	nipping name	Aerosol				
15. REGULATORY	INFORMATION					
Classification a 93/21/EEC	ccording to Euro	opean directive on	classification of	hazardous preparations		
- Contains:	DICHLC	DROMETHANE				
- Symbol(s):		>	<			
		Xn				
R -phrase(s):	R40 - Possible risks of irreversible effects.					
S -phrase(s):	S23 - Do not breathe vapour. S24/25 - Avoid contact with skin and eyes. S36/37 - Wear suitable protective clothing and gloves.					
16. OTHER INFOR	RMATION					
Recommended	use:					
Recommended	restrictions:					
When used in a mix	ture, read the labels	and safety data sheets o	f all components.			

Revision date:

09/07/2002

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication