PAGE: 1 of 3 PRINT DATE: 31/07/2002

## SAFETY DATA SHEET

<b>REF.</b> 123
-----------------

Product name:	Q	QGR Green					
Supplier:	MMP-International, Division of ITW Ltd.						
		inel Close, Park Farm Est,					
		Wellingborough, Northants, NN8 6QX					
Emergency telephone nur	nber: +44	4 (0) 1933 670870					
Fax No:		4 (0) 1933 670800					
2. COMPOSITION/INFORMAT	FION ON ING	REDIENTS					
Identification of the prepa	aration						
Chemical Name		CAS-No	EEC-No	Class	Weight		
BUTANE		106-97-8	601-004- 00-0	F+; R12	1-10		
1-METHOXY-2-PROPANOL		107-98-2	603-064- 00-3	R10	60-100		
PROPANE		74-98-6	601-003- 00-5	F+; R12	10-30		
	Move to fresh air, Consult a physician after significant exposure. Remove immediately adhering matter. Wash off immediately with soap and						
Skin contact: Remov	Remove immediately adhering matter. Wash off immediately with soap and						
	plenty of water, If skin irritation persists, call a physician. In case of contact with eyes, rinse immediately with plenty of water and seek						
-	medical advice.						
Ingestion: Call a	physician imme	diately, Do not induce	vomiting.				
5. FIRE-FIGHTING MEASURE							
Suitable extinguishing me	dia: alcoho spray.	ol-resistant foam, Carl	oon Dioxide (C0	) <sub>2</sub> ), dry pov	vder, Water		
•		explosion do not brea					
Special protective equipm	ent for firef	-	case of fire, we paratus, protec	ear a self contained br ctive suit.	reathing		
6. ACCIDENTAL RELEASE M	EASURES						
Personal precautions:		Do not breath vapours or spray mist.					
Environmental precaution		Do not let product enter drains.					
Methods for cleaning up:	-	Soak up with inert absorbent material (e.g. sand, silica gel, acid Dinder, universal binder, sawdust). Transfer to covered steel drums.					
7. HANDLING AND STORAGI	E						
•		II-ventilated areas. Keep away from heat and sources of ignition.					
		s tightly closed in a cool, well-ventilated place. Keep away from ion - No smoking.					
8. EXPOSURE CONTROLS /	PERSONAL F	PROTECTION					

BUTANE						
1-METHOXY-2-PROPANOL						
PROPANE						
Engineering measures t reduce exposure	<b>o</b> Ensure ade	Ensure adequate ventilation, especially in confined areas				
- Respiratory protection	DR: Breathing a	apparatus with filter.				
- Hand protection:	gloves 9 (A	dvice should be sough	t on the type of gloves	).		
- Eye protection:	safety glass	ses.				
- Skin and body prote	ction: protective	suit.				
Hygiene measures:						
9. PHYSICAL AND CHEMIC	AL PROPERTIES					
Form: liquid - aerosol	Colour:	colourless	Odour:	ether-like		
<b>pH:</b> g/I H2C	) N/A					
Boiling point/range:	117	°C				
Flash point:	-40	°C				
Melting point/range:	<0	°C				
Autoignition temperatur	e: >400	°C				
Flammability (solid, gas	LEL 0.8 (% vol in air at 25°C), UEL 11.5					
<b>Explosive properties:</b>	None					
<b>Oxidizing properties:</b>	None					
Vapour pressure:	2.75 Bar					
IO. STABILITY AND REACT	Ινιτγ					
Stability:	Stable					
Conditions to avoid:	Keep away from heat	and sources of ignitio	n.			
Materials to avoid:	oxidizing agents, stro	ong acids, strong bases	5.			
Hazardous decompositi	-	Carbon monoxide, Car (NOx).	bon Dioxide (CO	<sub>2</sub> ), nitrogen oxides		
11. TOXICOLOGICAL INFO	RMATION					
-	Components of the product may be absorbed into the body by inhalation, ingestion and through the skin.					
	May be harmful by inhalation, ingestion, skin adsorption. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.					
Sensitization:	May cause skin irritation and/or dermatitis.					
	Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.					
Repeated or prolonged		jer of serious damage e renal / Central nervo		l exposure,		
12. ECOLOGICAL INFORM	ATION					
Mobility:	Do not allo	w material to contami	nate ground water sys	tem.		
Persistence / degradab	lity: Aquatic tox	kicity is unlikely due to	low solubility.			
13. DISPOSAL CONSIDER						
Waste from residues / u	-					
Contaminated packagin	-	ty containers can be la pliance with local regul	-	, when in		

Product name: QGR Gr	een		PAGE: 3 of 3 PRINT DATE: 31/07/2002 REF: T25
European waste Catalogue No:	08 04 99		
14. TRANSPORT INFORMATION			
Proper shipping name:	Aerosol		
UN-No:	1950		
ADR/RID Class:	2		
		HI/UN No:	1950
IMO Class:	2		
Proper shipping name:	Aerosol		
ICAO Class:	2	UN/ID No:	1950
Proper shipping name	Aerosol		
15. REGULATORY INFORMATION			
Classification according to Euro 93/21/EEC	ppean directive on o	classification of h	nazardous preparations
- Contains: PROPA	NE, BUTANE.		
- Symbol(s):	31	b.	

F+ -Extremely flammable

skin. S33 - Take precautionary measures against static discharges

S2 - Keep out of reach of children. S 9 - Keep container in a well-ventilated place. S16 - Keep away from sources of ignition - No smoking. S24 - Avoid contact with



Recommended restrictions:

When used in a mixture, read the labels and safety data sheets of all components.

R12 - Extremely flammable.

**Revision date:** 

R -phrase(s):

S -phrase(s):

11/07/2002

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication